

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(measur\$4 or determin\$4 or sens\$4 or detect\$4) near5 redox adj2 stae same (anode near5 "fuel cell" or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L11	1	piezoelectric adj3 (sens\$4 or detect\$4) near5 redox adj1 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L14	1	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens\$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas) near5 (tempertaure or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L15	35	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens\$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L16	40	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22

L17	42	piezoelectric adj1 (sens\$4 or detect \$4) near5 (measur \$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L24	0	("6862252").URPN.	USPAT	OR	ON	2008/06/22 23:22
L29	11964688	(high temperature fuel cell) or reformer with (piezoelectric sensor) with coating near5 resonator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L31	752	(oxide or reducible adj1 coat\$4) near5 resonator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L32	2849171	(reformer or fuel cell)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L33	247213	(anode gas space) with (fuell cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L34	5056	(resonator surface) with (fluid or flow) with (anode gas space) with (fuell cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L35	100	(piezoeletric sensor) with (resonator surface) with (fluid or flow) with (anode gas space) with (fuell cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L37	2027125	(oxide or reducible adj1 coat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22

L39	0	(measur\$4 or determin\$4 or sens\$4 or detect\$4) near5 redox adj2 stae same (anode near5 "fuel cell" or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L49	1	piezoelectric adj3 (sens\$4 or detect\$4) near5 redox adj1 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L52	1	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens\$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas) near5 (tempertaure or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L53	35	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens\$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L54	40	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L55	42	piezoelectric adj1 (sens\$4 or detect\$4) near5 (measur\$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L62	0	("6862252").URPN.	USPAT	OR	ON	2008/06/22 23:22

L67	4915	SAW near3 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L70	0	10/549632	USPAT	OR	ON	2008/06/22 23:22
L73	2	(measur\$4 or determin\$4 or sens\$4 or evaluat\$4) with redox with anode near3 (cell or reformer) with piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L74	2	(measur\$4 or determin\$4 or sens\$4 or evaluat\$4) with redox near5 coat\$4 with (cell or reformer) with piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L75	147	(measur\$4 or determin\$4 or sens\$4 or evaluat\$4) with redox near5 coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L76	2	(measur\$4 or determin\$4 or sens\$4 or evaluat\$4) with redox near5 coat\$4 with piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L77	15	(measur\$4 or determin\$4 or sens\$4 or evaluat\$4) with redox with piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L78	38722	anode near3 (gas flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L80	12005	(piezoelectric sensor) with (anode gas flow) with (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L82	2325	(piezoelectric sensor) near3 (anode gas flow) near2 (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22

L83	602	(piezoelectric sensor) near1 (anode gas flow) near1 (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L84	602	(piezoelectric sensor) near1 (anode gas flow) near1 (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L85	499879	redox nea2 anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L88	2	resonator near5 piezoelectric adj1 (sens\$4 or detect \$4) near5 gas adj1 flow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L89	2	resonator near5 piezoelectric near5 (sens\$4 or detect \$4) near5 gas adj1 (flow or fluid or flowmeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L91	28364	(measur\$4 or determin\$4 or sens \$4 or detect\$4 or analyz\$4) with (redox state) near5 (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
L92	258550	(piezoelectric sensor) with (anode gas flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/22 23:22
S1	0	(measur\$4 or determin\$4 or sens \$4 or detect\$4) near5 redox adj2 stae same (anode near5 "fuel cell" or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:18
S2	3	(measur\$4 or determin\$4 or sens \$4 or detect\$4) near5 redox adj2 state same anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:19

S3	2	"6455181".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:25
S4	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:26
S5	2	"6083637".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 18:52
S6	5	"3879992".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 19:03
S7	2	"6455181".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 17:11
S8	2	"6083637".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 17:12
S9	1	10/549632	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 17:12
S10	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 19:46
S11	1	piezoelectric adj3 (sens\$4 or detect \$4) near5 redox adj1 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 19:54
S12	2	piezoelectric adj3 (sens\$4 or detect \$4) near5 redox	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 19:55

S13	6	piezoelectric adj3 (sens\$4 or detect \$4) same redox	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 19:55
S14	0	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas) near5 (tempertaure or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:16
S15	33	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:17
S16	39	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:17
S17	41	piezoelectric adj1 (sens\$4 or detect \$4) near5 (measur \$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:18
S18	7	piezoelectric adj1 (sens\$4 or detect \$4) near5 (measur \$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas) near5 (temperature or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:18

S19	8	piezoelectric adj1 (sens\$4 or detect \$4) near5 coat\$4 near5 (measur\$4 or sens\$4 or detect \$4) same (resonance or frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:24
S20	2	10/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 16:08
S21	1	11/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 16:09
S22	2	"6081481".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 19:18
S23	5	("6081481").URPN.	USPAT	OR	ON	2008/04/07 19:24
S24	0	("6862252").URPN.	USPAT	OR	ON	2008/04/07 19:30
S25	5	("6081481").URPN.	USPAT	OR	ON	2008/04/07 19:31
S26	7	("5357063" "5398217" "5563848" "6055214" "6081481" "6687189" "6738311").PN. OR ("6862252").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/07 19:37
S27	1	11/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 22:02
S28	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:26

S29	11830657	(high temperature fuel cell) or reformer with (piezoelectric sensor) with coating near5 resonator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:44
S30	11830657	(high temperature fuel cell) or reformer with (piezoelectric sensor) with coating near5 resonator with (redox state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:46
S31	4	(oxidizable or reducible adj1 coat\$4) near5 resonator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:49
S32	741	(oxide or reducible adj1 coat\$4) near5 resonator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:50
S33	596	S30 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:51
S34	2809371	(reformer or fuel cell)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:51
S35	45	S33 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:52
S36	243717	(anode gas space) with (fuell cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:56
S37	4977	(resonator surface) with (fluid or flow) with (anode gas space) with (fuell cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:57

S38	98	(piezoelectric sensor) with (resonator surface) with (fluid or flow) with (anode gas space) with (fuel cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:58
S39	2	S32 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:58
S40	2003998	(oxide or reducible adj1 coat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:59
S41	37	S38 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:59
S42	0	(measur\$4 or determin\$4 or sens\$4 or detect\$4) near5 redox adj2 state same (anode near5 "fuel cell" or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S43	3	(measur\$4 or determin\$4 or sens\$4 or detect\$4) near5 redox adj2 state same anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S44	2	"6455181".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S45	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S46	2	"6083637".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01

S47	5	"3879992".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S48	2	"6455181".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S49	2	"6083637".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S50	1	10/549632	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S51	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S52	1	piezoelectric adj3 (sens\$4 or detect \$4) near5 redox adj1 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S53	2	piezoelectric adj3 (sens\$4 or detect \$4) near5 redox	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S54	6	piezoelectric adj3 (sens\$4 or detect \$4) same redox	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S55	1	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas) near5 (tempertaure or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01

S56	34	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S57	39	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S58	41	piezoelectric adj1 (sens\$4 or detect \$4) near5 (measur \$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S59	7	piezoelectric adj1 (sens\$4 or detect \$4) near5 (measur \$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas) near5 (temperature or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S60	8	piezoelectric adj1 (sens\$4 or detect \$4) near5 coat\$4 near5 (measur\$4 or sens\$4 or detect \$4) same (resonance or frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S61	2	10/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01

S62	1	11/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S63	2	"6081481".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S64	5	("6081481").URPN.	USPAT	OR	ON	2008/04/29 17:01
S65	0	("6862252").URPN.	USPAT	OR	ON	2008/04/29 17:01
S66	5	("6081481").URPN.	USPAT	OR	ON	2008/04/29 17:01
S67	7	("5357063" "5398217" "5563848" "6055214" "6081481" "6687189" "6738311").PN. OR ("6862252").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/29 17:01
S68	1	11/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S69	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S70	4862	SAW near3 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 18:04
S71	2	"5958787".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 18:20
S72	15	("5958787").URPN.	USPAT	OR	ON	2008/04/29 18:21
S73	0	10/549632	USPAT	OR	ON	2008/04/29 18:34

S74	1	10/549632	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 18:43
S75	2	(measur\$4 or determin\$4 or sens \$4 or evaluat\$4) with (redox state) with anode near3 (cell or reformer) with piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:01
S76	2	(measur\$4 or determin\$4 or sens \$4 or evaluat\$4) with redox with anode near3 (cell or reformer) with piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:02
S77	2	(measur\$4 or determin\$4 or sens \$4 or evaluat\$4) with redox near5 coat\$4 with (cell or reformer) with piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:02
S78	147	(measur\$4 or determin\$4 or sens \$4 or evaluat\$4) with redox near5 coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:03
S79	2	(measur\$4 or determin\$4 or sens \$4 or evaluat\$4) with redox near5 coat\$4 with piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:03
S80	14	(measur\$4 or determin\$4 or sens \$4 or evaluat\$4) with redox with piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:03
S81	38308	anode near3 (gas flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:04
S82	18	(measur\$4 or determin\$4 or sens \$4 or evaluat\$4) with redox same piezoelectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:04

S83	11782	(piezoelectric sensor) with (anode gas flow) with (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:09
S84	7	S32 and S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:11
S85	2278	(piezoelectric sensor) near3 (anode gas flow) near2 (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:20
S86	589	(piezoelectric sensor) near1 (anode gas flow) near1 (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:20
S87	589	(piezoelectric sensor) near1 (anode gas flow) near1 (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:22
S88	494697	redox nea2 anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:25
S89	5	(measur\$4 or determin\$4 or sens\$4 or evaluat\$4) near2 redox near2 anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:25
S90	2	resonator near5 piezoelectric adj1 (sens\$4 or detect \$4) near5 gas adj1 flow near5 (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:45
S91	2	resonator near5 piezoelectric adj1 (sens\$4 or detect \$4) near5 gas adj1 flow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:45
S92	2	resonator near5 piezoelectric near5 (sens\$4 or detect \$4) near5 gas adj1 (flow or fluid or flowmeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:47

S93	7	resonator near5 (sens\$4 or detect \$4) near5 gas adj1 (flow or fluid or flowmeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:47
S94	27829	(measur\$4 or determin\$4 or sens \$4 or detect\$4 or analyz\$4) with (redox state) near5 (cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 19:57
S95	254847	(piezoelectric sensor) with (anode gas flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 20:19
S96	227372	(piezoelectric sensor) and (anode gas flow) and (fuel cell)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 20:20
S97	70	S78 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 20:20
S98	1	S86 and S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 20:24
S99	24	("4839020").URPN.	USPAT	OR	ON	2008/04/29 20:34
S100	2	"6159695".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 18:00
S101	2	"6169695".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 18:00
S102	2	"6169194".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 18:00

S103	3	"7207222".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 20:35
S104	1	piezoelectric adj1 (sens\$4 or detect \$4) near5 redox adj1 state near5 coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 21:13
S105	1	piezoelectric adj1 (sens\$4 or detect \$4) near5 redox near5 coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 21:13
S106	1	11/439546	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/04 22:12

6/ 22/ 2008 11:29:39 PM

C:\ Documents and Settings\ JSaint-Surin\ My Documents\ EAST\ Workspaces\ 10549632.wsp